



BRIGHT STAR

The first name in flashlights.sm

***We don't take our position as the First Name in Flashlights lightly.
For 100 years Bright Star has been making innovative lighting products.***

WorkSAFE Intrinsic LED Line

RAZOR

AVAILABLE IN: Black (60100); Hi-Vis Green (60101); Safety Orange (60102)

LIGHT OUTPUT: 60 lumens; 1850+Lux AT 6 FT.

RUNTIME: 100+ hours

KEY FEATURES: Deep Dish Reflector; Ergonomically designed push button switches; Knurled handle for maximum grip; waterproof

SAFETY APPROVALS: Intrinsically Safe-Zone Zero

Worldwide Safety Standard: IECEx Exia IIC T4 iaD T135C Ga, Da
(Equivalent to UL Rating – Class 1, Division 1 Groups A, B, C, D, T4
and Class 2 Division 1 Groups E, F, G, T4)

European Safety Standard: ATEX II 1 GD Exia IIC T4 aiD T135C



ACCESSORIES: Holster Model # 27425
Made of Nylon Webbing.



PENLIGHT

AVAILABLE IN: Black (60200); Hi-Vis Green (60201); Safety Orange (60202)

POWER SOURCE: 3 AAAA 1.5v Alkaline Batteries

LIGHT OUTPUT: 25 Lumens; 255 LUX at 3 Meters

RUNTIME: Up to 20 Hours on 3 AAAA Batteries

KEY FEATURES: Waterproof; Lightweight; Super Tough Nylon Body

SAFETY APPROVALS: Pending

Intrinsically Safe-Zone Zero

Worldwide Safety Standard: IECEx Exia IIC T4 iaD T135C Ga, Da
(Equivalent to UL Rating – Class 1, Division 1 Groups A, B, C, D, T4
and Class 2 Division 1 Groups E, F, G, T4)

European Safety Standard: ATEX II 1 GD Exia IIC T4 aiD T135C



Lighthawk Lantern Series

The "Original" ultra-lightweight handheld

LIGHTHAWK™ MAX

4-CELL ORANGE FIRE LANTERN W/ 120V AC CHARGER

AVAILABLE IN AC OR DC MODEL; 4 OR 6 CELL; ORANGE, YELLOW OR BLACK

LIGHT OUTPUT / BULB LIFE: 120,000 candlepower / 265 Lumens / 100 hours

KEY FEATURES: wall/vehicle mountable; lightweight (1.9 lbs); rugged nylon construction; LED battery status indicator; waterproof; non-slip rubber bottom and handle; fixed or articulating head; high-visibility flashing LED tail light; optional seat belt-style strap; lithium ion battery technology.

SAFETY APPROVALS: UL: Class 1, Division 2, Groups A, B, C, & D

Class 2, Division 2, Groups E & F

Operation Temp T1

CSA: Class 1, Division 2, Groups A, B, C, & D

Operating Temp T1

NFPA: 1901-14..11.2 (2003) Certified Mounted in any Position



LED LIGHTHAWK™

4-CELL HI-VIS GREEN FIRE LANTERN W/ 120V AC CHARGER

AVAILABLE IN: Hi-Vis Green (07912); Red (07910)

LIGHT OUTPUT: 130 Lumens or 4,000+Lux at 7 ft

LED Life: 30,000+ hrs

KEY FEATURES: Wall/Vehicle mountable; lightweight (1.9 lbs.); rugged nylon construction; LED charge status indicator; waterproof; non-slip rubber bottom and handle; articulation head; high-visibility flashing tail light; lithium ion battery; optional seat belt-style strap.



Responder Right Angle Series

"Bulbs For Life"

RESPONDER™ RA

RESPONDER RIGHT ANGLE

RECHARGEABLE MODEL # 500221, 500222

500221 - DIVISION 1 ORANGE RESPONDER WITH NI-CAD BATTERY PACK

500222 - DIVISION 2 YELLOW RESPONDER WITH NI-CAD BATTERY PACK (also available in black)

LIGHT OUTPUT / BULB LIFE: up to 45,000 candlepower / 50 hours

KEY FEATURES: rugged nylon housing; microprocessor controlled; LED battery status indicator; co-axial AC power pack; automotive DC power cord; wall/vehicle mountable; 2-hour charging time; safe-to-touch charging contacts. Charger Base included.



RESPONDER RIGHT ANGLE

500301 - DIVISION 1 ORANGE LIGHT WITH NI-CAD BATTERY PACK

500302 - DIVISION 2 YELLOW LIGHT WITH NI-CAD BATTERY PACK (also available in black)

500304 - DIVISION 1 ORANGE LIGHT WITH 4 C-CELL ALKALINE BATTERIES

500305 - DIVISION 2 YELLOW LIGHT WITH 4 C-CELL ALKALINE BATTERIES (also available in black)

LIGHT OUTPUT / BULB LIFE: up to 50 hours on our Alkaline version

KEY FEATURES: passes 30-ft drop test; waterproof; 2-hour charge time; lightweight; two spare bulb compartments; halogen bulb; imprinting available.



RIGHT ANGLE SERIES LIGHTS ARE ATEX, UL, CUL AND CSA APPROVED

WorkSAFE Series

"Maximum safety... at the right price!"

WORKSAFE™ SERIES

6 VOLT WATERPROOF LANTERN MODEL # 2206

LIGHT OUTPUT / BULB LIFE: 50,000 candlepower / 15 hours
KEY FEATURES: hazardous atmosphere safe; Division 1 UL & CUL approved; Krypton bulb; 200-yard beam projection; switch guard; spare bulb compartments; oversized reflector; glove-sized handle; circuit breaking mechanism.



2 D-CELL FLASHLIGHT MODEL # 2117, 2217 (WATERPROOF)

LIGHT OUTPUT / BULB LIFE: 10,000 candlepower / 15 hours
KEY FEATURES: hazardous atmosphere safe; Division 1 UL & CUL approved; low maintenance cost; spare bulb compartment; crush-resistant; 250,000 cycle positive locking switch; switch guard; anti-roll tube; oversized faceted reflector; unbreakable lens. #2117 has a Slide Switch; #2217 has a 3-way Switch.



3 D-CELL FLASHLIGHT MODEL # 2124, 2224 (WATERPROOF)

LIGHT OUTPUT / BULB LIFE: 15,000 candlepower / 15 hours
KEY FEATURES: hazardous atmosphere safe; Division 1 UL & CUL approved; low maintenance cost; spare bulb compartment; crush resistant; switch guard, unbreakable lens; 250,000 cycle positive locking switch; anti-roll tube; oversized faceted reflector. #2124 has a Slide Switch; #2224 has a 3-way Switch.



2 D-CELL INTERNATIONAL SAFETY FLASHLIGHT MODEL # 2317C

LIGHT OUTPUT / BULB LIFE: 4,500 candlepower / 30 hours
KEY FEATURES: ATEX approved for hazardous locations; top loader; anti-roll tube; anti-static material; 3-way switch: on/off/flash; waterproof; locking screw; unbreakable safety lens; ring hanger.



6V UTILITY LANTERN MODEL # 2208

LIGHT OUTPUT / BULB LIFE: 30,000 candlepower/15 Hours
KEY FEATURES: Hazardous atmosphere safe; weatherproof; oversized reflector; glove sized handle and switch; dual battery compartment; 120 degree pivoting head



WorkSAFE:

The world's safest, most affordable industrial flashlights.

From Petro Chemical to Cargo and Tanker Ships, the WorkSAFE Series is designed to be used in the most hazardous environments.

Responder Series

"Rugged. Bright. Safe."

RESPONDER™ SERIES

3 C-CELL SUBMERSIBLE ORANGE FLASHLIGHT MODEL # 19101

ALSO AVAILABLE: 19102 (Yellow); 19104 (Black)

AVAILABLE AS A RECHARGEABLE: 19111 (Orange); 19112 (Yellow); 19114 (Black)

LIGHT OUTPUT / BULB LIFE: 50,000 candlepower / 30 hours

KEY FEATURES: UL Division 1 & 2 approved; submersible to 100 ft; non-conductive; passes 30-ft drop test; waterproof; pushbutton switch; pre-focused spot beam; key ring; limited lifetime warranty.

#500299 Charger Base for 3C with AC and DC Cords



2 C-CELL SUBMERSIBLE ORANGE FLASHLIGHT MODEL # 200201

ALSO AVAILABLE: 200202 (Yellow); 200203 (Black)

LIGHT OUTPUT / BULB LIFE: 30,000 candlepower / 15 hours

KEY FEATURES: UL Division 1 & 2 hazardous location approved; submersible to 100 ft; non-conductive; xenon bulb; pre-focused spot beam; push button switch; impact resistant; passes 30-ft drop test; limited lifetime warranty.



2AA-CELL SUBMERSIBLE ORANGE POCKETLIGHT MODEL # 200301

ALSO AVAILABLE: 200302 (Yellow); 200303 (Black)

LIGHT OUTPUT / BULB LIFE: 13,000 candlepower / 15 hours

KEY FEATURES: UL Division 1 & 2 hazardous location approved; submersible to 100 ft; non-conductive; xenon bulb; pre-focused spot beam; push button switch; passes 30-ft drop test; limited lifetime warranty.



2AAA-CELL SUBMERSIBLE ORANGE POCKETLIGHT MODEL # 19301

ALSO AVAILABLE: 19302 (Yellow); 19304 (Black)

LIGHT OUTPUT / BULB LIFE: 10,000 candlepower / 20 hours

KEY FEATURES: UL Division 1 & 2 hazardous location certified; submersible to 500 ft; xenon bulb; passes 30 ft. drop test; limited lifetime warranty



INDUSTRIAL FLASHLIGHTS

2 D-CELL YELLOW FLASHLIGHT MODEL # 2618

LIGHT OUTPUT / BULB LIFE: up to 17,000 candlepower / 15 hours

KEY FEATURES: crush-resistant; distortion-free faceted reflector; 250,000 cycle switch; switch guard; unbreakable lens w/snap-in wand ring; non-slip grip; anti-roll tube; spare bulb holder, Krypton bulb.



ACCESSORIES

WANDS

23853 Red Wand

23860 Yellow Wand

**Wands can be used with the following

Model #: 2618, 2117, 2217, 2124, 2224



S-BINER (Actual size 2")

27445 Stainless Steel



Batteries

ALKALINE

MODEL # 7520
D-Cell 1.5 Volt Battery



MODEL # 7526
AAA-Cell 1.5 Volt Battery



MODEL # 7522
C-Cell 1.5 Volt Battery



MODEL # 7590
9 Volt Battery



MODEL # 7524
AA-Cell 1.5 Volt Battery



BATTERY PACKS

NI-CAD BATTERY PACKS

MODEL # 500200-N
Div. 2 Replacement 4 C Ni-Cad
Battery Pack for Responder RA



LITHIUM ION BATTERY PACKS

MODEL # 07885
4-Cell Fire Lantern
Replacement Battery Pack



MODEL # 500201-N
Div. 1 Replacement 4 C Ni-Cad
Battery Pack for Responder RA



MODEL # 07880
6-Cell Fire Lantern
Replacement Battery Pack



MODEL # 500202-N
Div. 1 & 2 Replacement 3 C Ni-Cad
Battery Pack for Responder



Accessories

LIGHTHAWK™ SERIES

MODEL # 07890
Charger Base with 120V AC Plug



MODEL # 20629
220V Euro Charger



MODEL # 07870
QuickCharger II 12-24 DC Plug



MODEL # 21132
Shoulder Strap



MODEL # 20628
120V AC Adapter



MODEL # 21134
Shoulder Strap (seatbelt style)



MODEL # 20356
XPR12 12W bulb for
4 & 6-Cell Fire Lanterns



RESPONDER™ RIGHT ANGLE SERIES

MODEL # 500203
Division 1 Responder Upgrade Kit
INCLUDES: Division 1 Battery Pack
(500201-N); 120 V AC Charger (20641);
12/24 V QuickCharger DC Charger
(500180) and Charger Base (500220)



MODEL # 500204
Division 2 Responder Upgrade Kit
INCLUDES: Division 2 Battery Pack
(500200-N); 120 V AC Charger (20641);
12/24 V QuickCharger DC Charger
(500180) and Charger Base (500220)



MODEL # 500400
Responder Charger Base – AC Connection
MODEL # 500500
Responder Charger Base – DC Connection



RIGHT ANGLE BULBS
#500310 RA Div 1 Bulb
#500312 RA Div 2 Bulb

BRIGHT STAR

The first name in flashlights.sm



Imprinting available on MOST lights – please inquire.

Please check our website at www.flashlight.com for specifications, special offerings and updates.

Product design, specifications, performance parameters, and availability may change without notice.